FY 2024 ICD-10 UPDATES

Stuart Newsome, CPCO
Vice President, Corporate &
Client Experience

Cynthia Keith, CPC
Coding Supervisor

Shelley Walworth, RHIA, CPC
Coding Specialist







Alpha II delivers revenue integrity across the full continuum of care by enabling proactive denial intervention throughout the RCM workflow, eliminating revenue loss, and delivering positive cash flow.



400+ Million

transactions processed annually



97%

client retention rate



12 Years

average client tenure



40+ Years

of providing Revenue Integrity solutions



30+ Channel Partners

PM, EMR, RCM, Clearinghouse



Stuart Newsome, CPCO

Vice President, Corporate & Client Experience

30+ years in healthcare | Compliance Industry Expert Provided 70+ education sessions | Conference speaker Involved in partnering and integration for over 100 healthcare vendors











Special Guests

Alpha II Coding Specialists



Cynthia Keith, CPC
Coding Supervisor

Cynthia brought her 27 years of coding, billing, and A/R revenue cycle experience to Alpha II in 2014. She has been an AAPC-accredited Certified Professional Coder (CPC) since 2010. Prior to Alpha II, she worked for specialties including chiropractic care, cardiology, internal medicine/family practice and her love of coding to improve RCM workflow lead to her advancement as office manager in a general/thoracic surgery office.



Shelley Walworth, RHIA, CPC
Coding Specialist

Shelley brings 35+ years of coding experience to Alpha II. She has been an employee of Unicor/Alpha II for over 25 years. She has a BS degree in Health Information Science from University of Alabama at Birmingham and is an accredited RHIA through AHIMA and an AAPC-accredited Certified Professional Coder (CPC).

CEUs Available for Alpha II Webinars

Alpha II webinars are now AAPC accredited. Participants can purchase CEUs immediately following the session by going to:



Click here to access this course

Note: Qualified VA attendees will receive separate instructions for accessing the VA CEU Program after the webinar



View the online learning library for additional accredited courses

How to Read the Addendum

New and Additions = GREEN

Deletions = RED STRIKETHROUGH

ICD-10-CM TABULAR LIST of DISEASES and INJURIES 2024 Addenda

No Change Chapter 1

No Change Certain infectious and parasitic diseases (A00-B99)

No Change Other bacterial diseases (A30-A49)

No Change A40 Streptococcal sepsis

No Change Code first

Delete postprocedural streptococcal sepsis (T81.4-)

Add , if applicable, postprocedural sepsis (T81.44-)

sepsis due to central venous catheter (T80.211-)

Revise from streptococcal sepsis following abortion or ectopic or molar pregnancy (O03-O07, O08.0)

Revise to streptococcal sepsis following abortion or ectopic or molar pregnancy (O03.37, O03.87,

O04.87, O07.37, O08.82)

Revise from streptococcal sepsis following immunization (T88.0)

Revise to streptococcal sepsis following immunization (T88.0-)

Revise from streptococcal sepsis following infusion, transfusion or therapeutic injection (T80.2-)

Revise to streptococcal sepsis following infusion, transfusion or therapeutic injection (T80.22-, T80.29-)

FY 2024 ICD-10 Updates



Guideline Update

14. Documentation by Clinicians Other than the Patient's Provider

These exceptions include codes for:

Body Mass Index (BMI)

Depth of non-pressure chronic ulcers

Pressure ulcer stage

Coma scale

NIH stroke scale (NIHSS)

Social determinants of health (SDOH) classified to Chapter 21

Laterality

Blood alcohol level

Under-immunization status



Chapter 1: Certain Infectious and Parasitic Diseases (A00-B99)

- d. Sepsis, Severe Sepsis, and Septic Shock Infections resistant to antibiotics
 - 5) Sepsis due to a postprocedural infection
 - (b) For **sepsis** following a **postprocedural wound (surgical site) infection**, a code from T81.41 to T81.43, Infection following a procedure, or a code from O86.00 to O86.03, Infection of obstetric surgical wound, that identifies the site of the infection should be **sequenced** first, if known.
- g. Corona Virus Infections
 - 1) COVID-19 infection (infection due to SARS-CoV-2)
 - (f) Screening for COVID-19
 For screening for COVID-19, including preoperative testing, assign code Z11.52, Encounter for screening for COVID-19.

Chapter 1: Certain Infectious and Parasitic Diseases (A00-B99)

New codes: (2)

A41.54: Sepsis due to Acinetobacter baumannii

B96.83: Acinetobacter baumannii as the cause of diseases classified elsewhere

• Excludes 1 revisions:

A50-A64: -Excludes 1 Human immunodeficiency virus [HIV] disease (B20)

Excludes 2 revisions:

A50-A64: Excludes 1 Human immunodeficiency virus [HIV] disease (B20)



Chapter 1: Certain Infectious and Parasitic Diseases (A00-B99)

Code first revisions:

```
A40: if applicable, post procedural streptococcal sepsis (T81.4-) (T81.44-)
```

A40: sepsis due to central venous catheter (T80.211-)

A40: streptococcal sepsis following abortion or ectopic or molar pregnancy (O03-O07, O08.0) (O03.37, O03.87.O04.87, O07.37, O08.82)

A40: streptococcal sepsis following immunization (T88.0-)

A40: streptococcal sepsis following infusion, transfusion or therapeutic injection (T80.2-) (T80.22-, T80.29-)

A41: if applicable, post procedural sepsis (T81.4-) (T81.44-)

A41: sepsis due to central venous catheter (T80.211-)

A41: sepsis following immunization (T88.0) (T88.0-)

A41: sepsis following infusion, transfusion or therapeutic injection (T80.2-) (T80.22-, T80.29-)

A41: streptococcal sepsis following abortion or ectopic or molar pregnancy (O03.07, O03.87.O04.87, O07.37, O08.82)

Chapter 2: Neoplasms (C00-D49)

e. Admissions/Encounters involving chemotherapy, immunotherapy and radiation therapy

2) Patient admission/encounter chiefly for administration of chemotherapy, immunotherapy and radiation therapy

If a patient admission/encounter is **chiefly** for the administration of chemotherapy, immunotherapy or external beam radiation therapy assign code Z51.0, Encounter for antineoplastic radiation therapy, or Z51.11, Encounter for antineoplastic chemotherapy, or Z51.12, Encounter for antineoplastic immunotherapy as the first-listed or principal diagnosis. If a patient receives more than one of these therapies during the same admission, more than one of these codes may be assigned, in any sequence.

t. Secondary malignant neoplasm of lymphoid tissue

When a malignant neoplasm of lymphoid tissue metastasizes beyond the lymph nodes, a code from categories C81-C85 with a final character "9" should be assigned identifying "extranodal and solid organ sites" rather than a code for the secondary neoplasm of the affected solid organ. For example, for metastasis of **diffuse large** B-cell lymphoma to the lung, brain and left adrenal gland, assign code C83.39, Diffuse large B-cell lymphoma, extranodal and solid organ sites.

Chapter 2: Neoplasms (C00-D49)

- New codes: (13)
 - **D13.91:** Familial adenomatous polyposis
 - D13.99: Benign neoplasm of ill-defined sites within the digestive system
 - **D48.110:** Desmoid tumor of head and neck
 - D48.111: Desmoid tumor of chest wall
 - **D48.112**: Desmoid tumor intrathoracic
 - **D48.113:** Desmoid tumor of abdominal wall
 - **D48.114:** Desmoid tumor, intraabdominal
 - D48.115: Desmoid tumor of upper extremity and shoulder girdle
 - **D48.116:** Desmoid tumor of lower extremity and pelvic girdle
 - **D48.117:** Desmoid tumor of back
 - **D48.118:** Desmoid tumor of other site
 - **D48.119:** Desmoid tumor of unspecified site
 - **D48.19:** Other specified neoplasm of uncertain behavior of connective and other soft tissue



Chapter 2: Neoplasms (C00-D49)

Excludes 1 revisions:

D12: -benign carcinoid tumors of the large intestine, and rectum (D3A.02-) poly of colon NOS (K63.5)

• Excludes 2 revisions:

D12: benign carcinoid tumors of the large intestine, and rectum (D3A.02-) polyp of colon NOS (K63.5)

Code also revisions:

C92: if applicable, pancytopenia (acquired) (D61.818)

C94.8: if applicable, eosinophilia (D72.18)

D13.91: associated conditions, such as: benign neoplasm of colon (D12.6), malignant neoplasm of colon (C18.6-)

Chapter 3: Diseases of the Blood and Blood-forming Organs and Certain Disorders Involving the Immune Mechanism (D50-D89)

New codes: (7)

D57.04: Hb-SS disease with dactylitis

D57.214: Sickle-cell/Hb-C disease with dactylitis

D57.414: Sickle-cell thalassemia, unspecified, with dactylitis

D57.434: Sickle-cell thalassemia beta zero with dactylitis

D57.454: Sickle-cell thalassemia beta plus with dactylitis

D57.814: Other sickle-cell disorders with dactylitis

D61.02: Shwachman-Diamond syndrome

D89.84: IgG4-related disease



Chapter 3: Diseases of the Blood and Blood-forming Organs and Certain Disorders Involving the Immune Mechanism (D50-D89)

Use additional revisions:

D61.02: Shwachman-Diamond syndrome – if applicable, for genetic susceptibility to other malignant neoplasm (Z15.09)

D70: Neutropenia - mucositis (J34.81, K12.3-, K92.81, N76.81)

Code first revisions:

D64.2: poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6)

Code also revisions:

D61.02: Shwachman-Diamond syndrome – if applicable associated conditions such as: acute myeloblastic leukemia (C92.0-), exocrine pancreatic insufficiency (K86.81), myelodysplastic syndrome (D46.-)

D65: if applicable, associated condition

D70: Neutropenia – if applicable, mucositis (J34.81, K12.3-, K92.81, N76.81)



New codes (17)

- E20.810: Autosomal dominant hypocalcemia (type 1 and type 2)
- **E20.811:** Secondary hypoparathyroidism in diseases classified elsewhere
- **E20.812:** Autoimmune hypoparathyroidism
- E20.818: Other specified hypoparathyroidism due to impaired parathyroid hormone secretion
- **E20.819:** Hypoparathyroidism due to impaired parathyroid hormone secretion, unspecified
- **E20.89:** Other specified hypoparathyroidism
- E74.05: Lysosome-associated membrane protein 2 [LAMP2] deficiency (Danon disease)
- E75.27: Pelizaeus-Merzbacher disease
- E75.28: Canavan disease
- **E79.81:** Aicardi-Goutieres syndrome
- **E79.82:** Hereditary xanthinuria



New codes:

E79.89: Other specified disorders of purine and pyrimidine metabolism

E88.43: Disorders of mitochondrial tRNA synthetases

E88.810: Metabolic syndrome (dysmetabolic syndrome)

E88.811: Insulin resistance syndrome, Type A

E88.818: Other insulin resistance, Type B

E88.819: Insulin resistance, unspecified

E88.A: Wasting disease (syndrome) due to underlying condition (cachexia due to underlying condition)

• Excludes 1 revisions:

E83.5: autoimmune hypoparathyroidism (E20.812)

E83.5: autosomal dominant hypocalcemia (E20.810)

E83.5: secondary hypoparathyroidism in diseases classified elsewhere (E20.811)

E87: metabolic acidemia in newborn, unspecified (P19.9)

E87.0: diabetes with hyperosmolarity (E08, E09, E11, E13 with final characters .00 or .01)



• Excludes 1 revisions:

E88.A: Cachexia NOS (R64)

E88.A: nutritional marasmus (E41)

Excludes 2 revisions:

E13.00: type 2 diabetes mellitus (E11.-)

E88.A: failure to thrive (R62.51, R62.7)

Use additional revisions – No changes

Code also revisions:

E20.810: code also , if applicable, any associated conditions, such as: calculus of kidney (N20.0), chronic kidney disease (N18.-), Respiratory distress (J80, R06.-), seizure disorder (G40.-, R56.9)

E74.05: code also, if applicable, associated manifestations such as: dilated cardiomyopathy (I41.0), obstructive hypertrophic cardiomyopathy (I42.1)

Code first revisions:

E03.2: poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6)

E03.9: poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6)

E20.811: code first underlying condition, if known

E20.812: code first, if applicable, underlying condition such as: autoimmune polyglandular failure (E31.0), Schmidt's (E31.0)

E35: code first late congenital syphilis of thymus gland [Dubois disease] (A50.5) (A50.59)

E88.A: code first underlying condition



Chapter 5: Mental, Behavioral and Neurodevelopmental Disorders (F01-F99)

- New Codes: (0)
- Nonessential inclusion code additions:
 - **F11.188:** Opioid abuse with other opioid-induced disorder Opioid-associated amnestic syndrome with opioid abuse
 - **F11.288:** Opioid dependence with other opioid-induced disorder *Opioid-associated amnestic syndrome with opioid dependence*
 - **F11.988:** Opioid use, unspecified with other opioid-induced disorder *Opioid-associated amnestic syndrome without use disorder*
 - **F64.0:** Transsexualism

 Gender incongruence in adolescents and adults

 Transgender
 - **F64.2:** Gender identity disorder of childhood *Gender incongruence of childhood*
 - **F64.9:** Gender identity disorder, unspecified *Gender incongruence, unspecified*



Chapter 5: Mental, Behavioral and Neurodevelopmental Disorders (F01-F99)

Excludes 1 revisions:

F64.0: gender identity in adolescents and adults (F64.2)

Excludes 2 revisions:

F50: feeding difficulties (R63.3-)

F98.2: feeding difficulties (R63.3-)

Code first revisions:

F02: hepatolenticular degeneration (E83.0) (E83.01)

F05: the underlying physiological condition, such as: dementia (F03.9-)

F06.7: Parkinson's disease (G20) (G20.-)



- New Codes: (22)
 - **G11.5**: Hypomyelination hypogonadotropic hypogonadism hypodontia 4H syndrome Pol III-related leukodystrophy
 - **G11.6**: Leukodystrophy with vanishing white matter disease
 - **G20.A1**: Parkinson's disease without dyskinesia, without mention of fluctuations

 Parkinson's disease NOS

 Parkinson's disease without dyskinesia, without mention of OFF episodes
 - **G20.A2:** Parkinson's disease without dyskinesia, with fluctuations *Parkinson's disease without dyskinesia, with OFF episodes*
 - **G20.B1:** Parkinson's disease with dyskinesia, without mention of fluctuations Parkinson's disease with dyskinesia, without mention of OFF episodes
 - **G20.B2:** Parkinson's disease with dyskinesia, with fluctuations Parkinson's disease with dyskinesia, with OFF episodes
 - **G20.C:** Parkinsonism, unspecified *Parkinson NOS*



- New Codes: (22)
 - **G23.3**: Hypomyelination with atrophy of the basal ganglia and cerebellum *H-ABC*
 - **G31.80**: Leukodystrophy, unspecified
 - **G31.84:** Mild cognitive impairment of uncertain or unknown etiology
 - **G31.86:** Alexander disease
 - **G37.81:** Myelin oligodendrocyte glycoprotein antibody disease *MOG antibody disease*
 - G37.89: Other specified demyelinating diseases of central nervous system
 - **G40.C01:** Lafora progressive myoclonus epilepsy, not intractable, with status epilepticus
 - **G40.C09:** Lafora progressive myoclonus epilepsy, not intractable, without status
 - epilepticus

Lafora progressive myoclonus epilepsy NOS



- New Codes: (22)
 - **G40.C11:** Lafora progressive myoclonus epilepsy, intractable with status epilepticus
 - **G40.C19**: Lafora progressive myoclonus epilepsy, intractable, without status
 - epilepticus
 - **G43.E01:** Chronic migraine with aura, not intractable, with status migrainosus
 - **G43.E09:** Chronic migraine with aura, not intractable, without status migrainosus *Chronic migraine with aura NOS*
 - **G43.E11:** Chronic migraine with aura, intractable, with status migrainosus
 - **G43.E19:** Chronic migraine with aura, intractable, without status migrainosus *Chronic migraine with aura NOS*
 - **G93.42:** Megaloencephalic leukoencephalopathy with subcortical cysts
 - **G93.43:** Leukoencephalopathy with calcifications and cysts
 - **G93.44:** Adult-onset leukodystrophy with axonal spheroids

 Adult-onset leukoencephalopathy with axonal spheroids and pigmented glia



Excludes 1 revisions:

```
G20.B: drug induced dystonia (G24.0)
```

G20.C: Parkinson's disease NOS (G20.A1)

Parkinson's disease with dyskinesia (G20.B-)

Parkinson's disease without dyskinesia (G20.A-)

Secondary parkinsonism (G21.-)

G43.1: chronic migraine with aura (G43.E-)

G43.E0-: migraine with aura (G43.1-)

G93.3: chronic fatigue syndrome NOS (R53.82)

G93.4: alcoholic encephalopathy (G31.2)

encephalopathy in diseases classified elsewhere (G94)

hypertensive encephalopathy (167.4)



Excludes 2 revisions:

```
G04: acute transverse myelitis <del>(G37.3-)</del> (G37.3)
```

G93.4: alcoholic encephalopathy (G31.2) encephalopathy in diseases classified elsewhere (G94) hypertensive encephalopathy (I67.4)

Code first revisions:

G05: Code first systemic lupus erythematosus (M32.19)

G05.3: Code first underlying disease



Code first revisions:

G32.0: Code first, anemia (D51.9), dietary (D51.3), other dietary vitamin B12 deficiency anemia (D51.3), pernicious (D51.0), vitamin B12 deficiency anemia due to intrinsic factor deficiency (D51.0), vitamin B12 deficiency anemia, unspecified (D51.8)

G73.7: Code first, glycogen storage disease (E74.0), (E74.0-)

G92.8: Code first, poisoning due to drug or toxin, if applicable, (T36-T65 with fifth or sixth character 1-4 or 6)

G92.9: Code first, poisoning due to drug or toxin, if applicable, (T36-T65 with fifth or sixth character 1-4 or 6)

G99.8: Code first, avitaminosis (E56.9) (E56.-)

Code Also revisions:

G37.81: Code also associated manifestations, if known, such as: noninfectious acute disseminated encephalomyelitis (G04.81), neuromyelitis optica (G36.0)

G40.C: Code also, if applicable, associated conditions such as dementia (F02.8-)

G92.0: Code also associated signs and symptoms, such as seizures and cerebral edema

G92.0: Code also, if applicable, associated signs and symptoms, such as:

Use Additional revisions:

G31.-: Use additional code, if applicable, for codes G31.0-G31.83, G31.85-G31.9, use additional code, if applicable to identify

G31.84: Use additional code to identify presence of: hypertension (110-116)

• New Codes: (34)

H36.811: Nonproliferative sickle-cell retinopathy, right eye

H36.812: Nonproliferative sickle-cell retinopathy, left eye

H36.813: Nonproliferative sickle-cell retinopathy, bilateral

H36.819: Nonproliferative sickle-cell retinopathy, unspecified eye

H36.821: Proliferative sickle-cell retinopathy, right eye

H36.822: Proliferative sickle-cell retinopathy, left eye

H36.823: Proliferative sickle-cell retinopathy, bilateral

H36.829: Proliferative sickle-cell retinopathy, unspecified eye

H36.89: Other retinal disorders in diseases classified elsewhere

Retinal dystrophy in lipid storage disorders

H50.621: Inferior oblique muscle entrapment, right eye

H50.622: Inferior oblique muscle entrapment, left eye

H50.629: Inferior oblique muscle entrapment, unspecified



• New Codes: (34)

H50.631: Inferior rectus muscle entrapment, right eye

H50.632: Inferior rectus muscle entrapment, left eye

H50.639: Inferior rectus muscle entrapment, unspecified eye

H50.641: Lateral rectus muscle entrapment, right eye

H50.642: Lateral rectus muscle entrapment left eye

H50.649: Lateral rectus muscle entrapment, unspecified eye

H50.651: Medial rectus muscle entrapment, right eye

H50.652: Medial rectus muscle entrapment, left eye

H50.659: Medial rectus muscle entrapment, unspecified eye

H50.661: Superior oblique muscle entrapment, right eye

H50.662: Superior oblique muscle entrapment, left eye

H50.669: Superior oblique muscle entrapment, unspecified eye



• New Codes: (34)

H50.671: Superior rectus muscle entrapment, right eye

H50.672: Superior rectus muscle entrapment, left eye

H50.679: Superior rectus muscle entrapment, unspecified eye

H50.681: Extraocular muscle entrapment, right eye

H50.682: Extraocular muscle entrapment left eye

H50.689: Extraocular muscle entrapment, unspecified eye

H54.512A: Low vision right eye category 2, normal vision left eye

H57.8A1: Foreign body sensation, right eye

H57.8A2: Foreign body sensation, left eye

H57.8A3: Foreign body sensation, bilateral eyes

H57.8A9: Foreign body sensation, unspecified eye

• Excludes 2 revisions:

H35.2: proliferative sickle-cell retinopathy (H36.82-)



Use Additional Code revisions:

H49.81: Use additional code for other manifestation, such as: heart block (145.9)

Code also revisions:

H26.21: Code also, associated condition, such as: if applicable, associated condition, such as:

H49.81: Code also, if applicable, other manifestations, such as: heart block (145.9)

Code first revisions:

H35.38: Poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6)

H62.4: Impetigo (L01.0-)

H91.0: poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6)

- e. Acute myocardial infarction (AMI)
 - 6) Myocardial Infarction with Coronary Microvascular Dysfunction

Coronary microvascular dysfunction (CMD) is a condition that impacts the microvasculature by restricting microvascular flow and increasing microvascular resistance. Code I21.B, Myocardial infarction with coronary microvascular dysfunction, is assigned for myocardial infarction with coronary microvascular dysfunction, and myocardial infarction with non-obstructive coronary arteries (MINOCA) with microvascular disease.

• New Codes: (10)

I1A.0: Resistant hypertension

Apparent treatment resistant hypertension Treatment resistant hypertension True resistant hypertension

120.81: Angina pectoris with coronary microvascular dysfunction

Angina pectoris with coronary microvascular disease

120.89: Other forms of angina pectoris

Angina equivalent
Angina of effort
Coronary slow flow syndrome
Stable angina
Stenocardia

I21.B: Myocardial infarction with coronary microvascular dysfunction

Myocardial infarction with coronary microvascular disease
Myocardial infarction with nonobstructive coronary arteries [MINOCA] with microvascular disease



- New Codes: (10)
 - **124.81:** Acute coronary microvascular dysfunction *Acute (presentation of) coronary microvascular disease*
 - 124.89: Other forms of acute ischemic heart disease
 - **125.85:** Chronic coronary microvascular dysfunction Chronic (presentation of) coronary microvascular disease Coronary microvascular dysfunction NOS
 - 147.10: Supraventricular tachycardia, unspecified
 - **147.11:** Inappropriate sinus tachycardia, so stated *IST*
 - **I47.19:** Other supraventricular tachycardia

Atrial (paroxysmal) tachycardia
Atrioventricular [AV] (paroxysmal) tachycardia
Atrioventricular re-entrant (nodal) tachycardia [AVNRT] [AVRT]
Junctional (paroxysmal) tachycardia
Nodal (paroxysmal) tachycardia



Code Description Changes:

I71.51: Supraceliac aneurysm of the abdominal thoracoabdominal aorta, ruptured

171.52: Paravisceral aneurysm of the abdominal thoracoabdominal aorta, ruptured

I71.61: Supraceliac aneurysm of the abdominal thoracoabdominal aorta, without

rupture

I71.62: Paravisceral aneurysm of the abdominal thoracoabdominal aorta, without rupture

Excludes 1 revisions:

- **I25.118:** Other forms of angina pectoris without atherosclerotic heart disease (I20.8) (I20.8-)
- **I25.708:** Other forms of angina pectoris without atherosclerosis coronary artery bypass graft (120.8) (120.8-)
- **I25.718:** Other forms of angina pectoris without atherosclerotic of autologous vein coronary artery bypass graft(s) (I20.8-)
- **125.728:** Other forms of angina pectoris without atherosclerosis of autologous artery coronary artery bypass graft(s) (120.8-)
- **125.738:** Other forms of angina pectoris without atherosclerosis of nonautologous biological coronary artery bypass graft(s) (120.8-)
- **125.798:** Other forms of angina pectoris without atherosclerosis of other coronary artery bypass graft(s) (120.8-)
- **I25.82:** acute coronary occlusion with myocardial infarction (I21.0-I21.9, I22.-) (I21.0-I21.9, I22.-)

Chapter 9: Diseases of the Circulatory System (100-199)

Excludes 1 revisions:

126: cor pulmonale without embolism (127.81)

I67: Occlusion and stenosis of cerebral precerebral artery causing cerebral infarction (I63.3-I63.5-) (I63.2-)

Excludes 2 revisions:

163: chronic, without residual deficits (sequelae) (Z86.73)

Use additional revisions:

I60-I69: Use additional hypertension (I10-I16 I1A)

I60: use additional code, if known, to indicate National Institutes of Health Stroke Scale (NIHSS) score (R29.7-)

I61: use additional code, if known, to indicate National Institutes of Health Stroke Scale (NIHSS) score (R29.7-)

I62: use additional code, if known, to indicate National Institutes of Health Stroke Scale (NIHSS) score (R29.7-)

187.2: use additional code, if applicable, to specify site and severity of ulcer (L97.-)



Chapter 9: Diseases of the Circulatory System (100-199)

Code first revisions:

I1A.0: Code first specific type of hypertension, if known, such as: essential hypertension (I10) secondary hypertension (I15.-)

I42.7: code first poisoning due to drug or toxin, if applicable (T36.-T65 with fifth or sixth character 1-4 or 6)

143: code first, glycogen storage disease (E74.0-)

Code also revisions:

I16: any identified hypertensive disease (I10-I15, I1A)

I20-I25: code also the presence of hypertension (I10-I16 I1A)

127.81: code also, if applicable, right heart failure (I50.81-)

167.4: code also, if applicable, associated hypertensive conditions such as: essential (primary) hypertension (I10), hypertensive chronic kidney disease (I12.-), hypertensive heart and chronic kidney disease (I13.-), hypertensive heart disease (I11.-)

187.2: code also, if applicable, associated hypertensive conditions such as: essential (primary) hypertension (I10), hypertensive chronic kidney disease (I12.-), hypertensive heart and chronic kidney disease (I13.-), hypertensive heart disease (I11.-)

- New Codes: (8)
 - J15.61: Pneumonia due to Acinetobacter baumannii
 - J15.69: Pneumonia due to other Gram-negative bacteria

Pneumonia due to other aerobic Gram-negative bacteria Pneumonia due to Serratia marcescens

- J44.81: Bronchiolitis obliterans and bronchiolitis obliterans syndrome

 Obliterative bronchiolitis
- J44.89: Other specified chronic obstructive pulmonary disease

Chronic asthmatic (obstructive bronchitis)
Chronic emphysematous bronchitis

J44.9: Chronic obstructive pulmonary disease, unspecified

Chronic obstructive airway disease NOS Chronic obstructive lung disease NOS

- J4A.0: Restrictive allograft syndrome
- J4A.8: Other chronic lung allograft dysfunction
- J4A.9: Chronic lung allograft dysfunction, unspecified



Excludes 1 revisions:

```
J41: chronic bronchitis NOS (J42)
J41: chronic obstructive bronchitis (J44.-)
J42: bronchiolitis obliterans and bronchiolitis obliterans syndrome (J44.81)
J43: emphysema with chronic (obstructive) bronchitis (J44.-)
J43: emphysematous (obstructive) bronchitis (J44.-)
J44: bronchiectasis (J47.-)
J44: emphysema without chronic bronchitis (J43.-)
```

Excludes 2 revisions:

```
J41: chronic bronchitis NOS (J42)
J41: chronic obstructive bronchitis (J44.-)
J43: emphysema with chronic (obstructive) bronchitis (J44.-)
J43: emphysematous (obstructive) bronchitis (J44.-)
J44: bronchiectasis (J47.-)
J44: emphysema without chronic bronchitis (J43.-)
J44.9: lung disease due to external agents (J60-J70)
```

Use additional revisions:

J09-J18: Use additional code, if applicable to identify resistance to antimicrobial drugs (Z16.-)

J31-J33, J35 and J38: Use additional code to identify: exposure to environmental tobacco smoke (Z77.22), exposure to tobacco smoke in the perinatal period (P96.81), history of tobacco smoke dependence (Z87.891), occupational exposure to environmental tobaccosmoke (Z57.31), tobacco dependence (F17.-), tobacco use (Z72.0)

J43-J44: Use additional code to identify: exposure to environmental tobacco smoke (Z77.22), history of tobacco dependence (Z87.891), occupational exposure to environmental tobacco smoke Z57.31), tobacco dependence (F17.-), tobacco use (Z72.0)

Code also revisions:

J44.81: Code also, if applicable, associated conditions, such as: chronic graft-versus-host disease (D89.811), chronic lung allograft dysfunction (J4A.-), chronic respiratory conditions due to chemicals, gases, fumes and vapors (J68.4)

J4A.0: Code also, if applicable, for mixed chronic lung allograft dysfunction, bronchiolitis obliterans syndrome (J44.81)

J68.4: Code also, if applicable chronic conditions, such as: emphysema (J43.-), obliterative bronchiolitis (J44.81), pulmonary fibrosis (J84.10)

Code first revisions:

J44.81: Code first, if applicable: complication of bone marrow transplant (T86.09), complication of stem cell transplant (T86.5), heart-lung transplant rejection (T86.31), lung transplant rejection (T86.810), other complications of heart-lung transplant (T86.39), other complications of lung transplant (T86.818)

J4A.-: Code first, if applicable: heart-lung transplant rejection (T86.31), lung transplant rejection (T86.810), other complications of heart-lung transplant (T86.39), other complications of lung transplant (T86.818)



Code first revisions:

```
J84.170: Code first, sarcoidosis (<del>D86</del> D86.-)
J93.12: Code first, eosinophilic pneumonia (<del>J82</del> J82.81-J82.82), Marfan's syndrome (<del>Q87.4</del> Q87.4-)
```

J99: Code first, ankylosing spondylitis (M45 M45.-), congenital syphilis (A50.5 A50.-), early congenital syphilis (A50.0 A50.-)

New Codes: (17)

K35.200: Acute appendicitis with generalized peritonitis, without perforation or abscess

(Acute) appendicitis with generalized peritonitis without rupture without rupture or perforation of appendix NOS

K35.201: Acute appendicitis with generalized peritonitis, with perforation, without abscess

Appendicitis (acute) with generalized (diffuse) peritonitis following rupture or perforation of appendix NOS

K35.209: Acute appendicitis with generalized peritonitis, without abscess, unspecified as to perforation

(Acute) appendicitis with generalized peritonitis NOS

K35.210: Acute appendicitis with generalized peritonitis, without perforation with abscess

(Acute) appendicitis with generalized peritonitis without rupture or perforation of appendix, with abscess NOS

K35.211: Acute appendicitis with generalized peritonitis, with perforation, and abscess Appendicitis (acute) with generalized (diffuse) peritonitis following rupture or perforation of appendix with abscess

K35.219: Acute appendicitis with generalized peritonitis, with abscess, unspecified as to perforation

(Acute) appendicitis with generalized peritonitis and abscess NOS



• New Codes: (17)

K63.8211: Small intestinal bacterial overgrowth, hydrogen-subtype

K63.8212: Small intestinal bacterial overgrowth, hydrogen sulfide-subtype

K63.8219: Small intestinal bacterial overgrowth, unspecified

K63.822: Small intestinal fungal overgrowth

K63.829: Intestinal methanogen overgrowth, unspecified

K68.2: Retroperitoneal fibrosis

K68.3: Retroperitoneal hematoma

K90.821: Short bowel syndrome with colon in continuity

K90.822: Short bowel syndrome without colon in continuity

K90.829: Short bowel syndrome, unspecified

K90.83: Intestinal failure



Excludes 1 revisions:

K51.4: adenomatous polyp of colon (D12.6), polyposis of colon (D12.6), polyps of colon NOS (K63.5)

K59.0: incomplete defecation (R15.0)

K63.5: adenomatous polyp of colon (D12.-), inflammatory polyp of colon (K51.4-),

Polyposis of colon (D12.6)

K76.7: hepatorenal syndrome following labor and delivery (090.4 090.41)

Excludes 2 revisions:

K51.4: adenomatous polyp of colon (D12.6), polyposis of colon (D12.6), polyps of colon NOS (K63.5)

K56.41: incomplete defecation (R15.0)

K59.0: incomplete defecation (R15.0)

K63.5: adenomatous polyp of colon (D12.-), inflammatory polyp of colon (K51.4-),

Polyposis of colon (D12.6)

K66.1: retroperitoneal hematoma (K68.3), retroperitoneal hemorrhage (K68.3)

K70-K77: Wilson's disease (E83.0 E83.01)

Code first revisions:

K22.1: Code first, poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6)

K71: Code first, poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6)

Code also revisions:

K68.2: Code also, if applicable, associated obstruction of ureter N13.5

K80.4: Code also, if applicable, fistula of bile duct (K83.3)



Chapter 12: Diseases of the Skin and Subcutaneous Tissue (L00-L99)

- New Codes: (0)
- Code first revisions:

L53.0: code first poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6)

Chapter 13: Diseases of the Musculoskeletal System and Connective Tissue (M00-M99)

Code First revisions:

M34.2: Code first, poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6)

M36.8: Code first, alkaptonuria (E70.2) (E70.29), ochronosis (E70.2) (E70.29)

M63: Code first, neoplasm (C49.-, C79.89, D21.-, D48.1) (D48.1-)

M89.7: Code first osteolysis (M89.5-)

M90.8: Code first, vitamin-D-resistant rickets (E83.3) (E83.31)

M97: Code first, if know, the specific type and cause of fracture, such as traumatic or pathological

Use additional revisions:

M32.19: Use additional code(s) to identify organ or system involvement, such as encephalitis (G05.3)



Chapter 13: Diseases of the Musculoskeletal System and Connective Tissue (M00-M99)

New Codes: (6)

M80.0B1: Age-related osteoporosis with current pathological fracture, right pelvis M80.0B2: Age-related osteoporosis with current pathological fracture, left pelvis M80.0B9: Age-related osteoporosis with current pathological fracture, unspecified pelvis

M80.8B1: Other osteoporosis with current pathological fracture, right pelvis

M80.8B2: Other osteoporosis with current pathological fracture, left pelvis

M80.8B9: Other osteoporosis with current pathological fracture, unspecified pelvis

Excludes 1 revisions:

M83: vitamin D-resistant osteomalacia (E83.3) (E83.31), vitamin D-resistant rickets (active) (E83.3) (E83.31)

• Excludes 2 revisions:

M24.1: chondrocalcinosis (M11.1 M11.1-, M11.2-), metastatic calcification (E83.5) (E83.59), ochronosis (E70.2) (E70.29)

M41: postprocedural scoliosis (M96.-) (M96.89), postradiation scoliosis (M96.5)



- New Codes: (16)
 - **N02.B1**: Recurrent and persistent immunoglobulin A nephropathy with glomerular lesion
 - **N02.B2:** Recurrent and persistent immunoglobulin A nephropathy with focal and segmental glomerular lesion
 - Recurrent and persistent immunoglobulin A nephropathy with focal and segmental hyalinosis or sclerosis
 - **N02.B3**: Recurrent and persistent immunoglobulin A nephropathy with diffuse membranoproliferative glomerulonephritis
 - **N02.B4**: Recurrent and persistent immunoglobulin A nephropathy with diffuse membranous glomerulonephritis
 - **N02.B5**: Recurrent and persistent immunoglobulin A nephropathy with diffuse mesangial proliferative glomerulonephritis



- New Codes: (16)
 - **N02.B6**: Recurrent and persistent immunoglobulin A nephropathy with diffuse mesangiocapillary glomerulonephritis
 - N02.B9: Other recurrent and persistent immunoglobulin A nephropathy
 - **N04.20:** Nephrotic syndrome with diffuse membranous glomerulonephritis, unspecified

Membranous nephropathy NOS with nephrotic syndrome

- N04.21: Primary membranous nephropathy with nephrotic syndrome
- N04.22: Secondary membranous nephropathy with nephrotic syndrome
- N04.29: Other nephrotic syndrome with diffuse membranous glomerulonephritis
- N06.20: Isolated proteinuria with diffuse membranous glomerulonephritis,
- unspecified

Membranous nephropathy, NOS



- New Codes: (16)
 - N06.21: Primary membranous nephropathy with isolated proteinuria

 Idiopathic membranous nephropathy (with isolated proteinuria)

 Primary membranous nephropathy NOS
 - N06.22: Secondary membranous nephropathy with isolated proteinuria

 Secondary membranous nephropathy, NOS
 - N06.29: Other isolated proteinuria with diffuse membranous glomerulonephritis

 Membranous nephropathy NOS with nephrotic syndrome

• Excludes 1 revisions:

- N06.20: membranous nephropathy NOS with nephrotic syndrome (N04.20)
- N06.21: primary membranous nephropathy NOS with nephrotic syndrome (N04.21)
- N06.22: secondary membranous nephropathy with nephrotic syndrome (N04.22)
- **N20:** nephrocalcinosis (E83.5) (E83.59)
- **N81.6:** rectocele with prolapse of uterus (N81.2-N81.4)



Excludes 2 revisions:

N16: postpartum hepatorenal syndrome (090.4) (090.41), renal failure following labor and delivery (090.4) (090.41)

N81.6: rectocele with prolapse of uterus (N81.2-N81.4)

Code First revisions:

N04.22: Code first, if applicable, other disease or disorder or poisoning causing membranous nephropathy

N06.22: Code first, if applicable, other disease or disorder or poisoning causing membranous nephropathy

N14: Code first, poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6)

N16: Code first, glycogen storage disease (E74.0) (E74.0-), Wilson's disease (E83.0) (E83.01)

N29: Code first, nephrocalcinosis (E83.5) (E83.59)



Use additional revisions:

N04.22: Use additional code, if applicable, for adverse effect of drug causing membranous nephropathy

N06.22: Use additional code, if applicable, for adverse effect of drug causing membranous nephropathy

Chapter 15: Pregnancy, Childbirth and the Puerperium (O00-O9A)

New Codes: (6)

O26.641: Intrahepatic cholestasis of pregnancy, first trimester

O26.642: Intrahepatic cholestasis of pregnancy, second trimester

O26.643: Intrahepatic cholestasis of pregnancy, third trimester

O26.649: Intrahepatic cholestasis of pregnancy, unspecified trimester

O90.41: Hepatorenal syndrome following labor and delivery

O90.49: Other postpartum acute kidney failure

Postpartum acute kidney failure Puerperal anuria Puerperal oliguria

• Excludes 1 revisions:

O04: encounter for elective termination of pregnancy, uncomplicated (Z33.2), failed attempted termination of pregnancy (O07.-)

O90.4: non-anuria and oliguria (R34)



Chapter 15: Pregnancy, Childbirth and the Puerperium (O00-O9A)

Excludes 2 revisions:

O04: encounter for elective termination of pregnancy, uncomplicated (Z33.2), failed attempted termination of pregnancy (O07.-)

O26.6: hepatorenal syndrome following labor and deliver (O90.4) (O90.41)

O99.8: postpartum acute kidney failure (O90.4) (O90.49)

Use Additional revisions:

O00-O9A: Use additional code, if applicable, from category Z3A, weeks of gestation to identify the specific week of the pregnancy, if known

O26.89: Use additional code, if applicable, to identify specific condition such as insulin resistance (E88.81-)

O87.0: Use additional code, if applicable, to identify the superficial vein thrombosis, such as thrombosis of superficial vessels of lower extremities (I80.0-)

Code First revisions:

O75.82: previous cesarean delivery (O34.21) (O34.21-)



Chapter 16: Certain Conditions Originating in the Perinatal Period (P00-P96)

- New codes: (0)
- Description Changes:

P09.3: Abnormal findings for hemoglobinothies screen hemoglobinopathy screening

P19.9: Metabolic acidemia, unspecified in newborn, unspecified

Excludes 1 revisions:

P28.5: respiratory arrest of newborn (P28.81), respiratory distress of newborn (P22.0-)

Excludes 2 revisions:

P00.89: newborn affected by positive maternal group B streptococcus (GBS) colonization (P00.82)

P28.5: respiratory arrest of newborn (P28.81), respiratory distress of newborn (P22.0-)

P92: feeding problems in child over 28 days old (R63.3-)

Chapter 16: Certain Conditions Originating in the Perinatal Period (P00-P96)

Use additional revisions:

P00.89: newborn affected by positive maternal group B streptococcus (GBS) colonization (P00.82)

Code First revisions:

P04.1: code first, if applicable, withdrawal symptoms from maternal use of drugs of addiction, if applicable (P96.1)

P04.1: code first, withdrawal symptoms from therapeutic use of drugs in newborn (P96.2)

P58.4: Poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6)

Code Also revisions:

P29.0: code also associated underlying condition

New Codes: (21)

Q44.70: Other congenital malformation of liver, unspecified Congenital malformation of liver, NOS

Q44.71: Alagille syndrome

Alagille-Watson syndrome

Q44.79: Other congenital malformations of liver

Accessory of liver Congenital absence of liver Congenital hepatomegaly

Q75.001: Craniosynostosis unspecified, unilateral

Q75.002: Craniosynostosis unspecified, bilateral

Q75.009: Craniosynostosis unspecified

Imperfect fusion of skull

Q75.01: Sagittal craniosynostosis

Non-deformational dolichocephaly Non-deformational scaphocephaly



New Codes: (21)

Q75.021: Coronal craniosynostosis, unilateral

Non-deformational anterior plagiocephaly

Q75.022: Coronal craniosynostosis, bilateral

Non-deformational brachycephaly

Q75.029: Coronal craniosynostosis, unspecified

Q75.03: Metopic craniosynostosis

Trigonocephaly

Q75.041: Lambdoid craniosynostosis, unilateral

Q75.042: Lambdoid craniosynostosis, bilateral

Q75.049: Lambdoid craniosynostosis, unspecified

Q75.051: Cloverleaf skull

Kleeblattschaedel skull



New Codes: (21)

Q75.052: Pansynostosis

Q75.058: Other multi-suture craniosynostosis

Q87.83: Bardet-Biedl syndrome

Q87.84: Laurence-Moon syndrome

Q87.85: MED13L syndrome

Asadollahi-Rauch syndrome Mediator complex subunit 13L syndrome

Q93.52: Phelan-McDermid syndrome

22q13.3 deletion syndrome

Excludes 1 revisions:

Q67.2: sagittal craniosynostosis (Q75.01)

Q67.3: coronal craniosynostosis (Q75.02-), lambdoid craniosynostosis (Q75.04-)

Q75.01: plagiocephaly (Q67.3)

Q75.02: dolichocephaly (Q67.2)



Excludes 1 revisions:

Q75.04: dolichocephaly (Q67.2)

Q75.058: coronal craniosynostosis, bilateral (Q75.022). Lambdoid craniosynostosis,

bilateral (Q75.042)

Q84.1: Menkes' kinky hair syndrome (E83.0) (E83.09)

Code Also revisions:

Q44.7: Code also, if applicable, associated malformations affecting other systems

Q87.85: Code also, if applicable, any associated manifestations such as: autism

spectrum disorder (F84.0-), congenital malformations of cardiac septa (Q21.-), epilepsy

and recurrent seizures (G40.-), intellectual disability (F70-F79)

Q90: Code also associated physical condition(s) such as atrioventricular septal defect (Q21.2-)



Use Additional revisions:

Q90: use additional code(s) to identify any associated physical conditions and degree of intellectual disabilities (F70-F79)

Q93.52: use additional code(s) to identify any associated conditions, such as: autism spectrum disorder (F84.0), degree of intellectual disabilities (F70-F79), epilepsy and recurrent seizures (G40.-), lymphedema I89.0)

e. Coma

Code R40.20, Unspecified coma, should be assigned when the underlying cause of the coma is not known, or the cause is a traumatic brain injury and the coma scale is not documented in the medical record.

Do not report codes for unspecified coma, individual or total Glasgow coma scale scores for a patient with a medically induced coma or a sedated patient.

1) Coma Scale

The coma scale codes (R40.21- to R40.24-) can be used in conjunction with traumatic brain injury codes. These codes cannot be used with code R40.2A, Nontraumatic coma due to underlying condition. They are primarily for use by trauma registries, but they may be used in any setting where this information is collected. The coma scale codes should be sequenced after the diagnosis code(s).

• New Codes: (18)

R09.A0: Foreign body sensation, unspecified

R09.A1: Foreign body sensation, nose

R09.A2: Foreign body sensation, throat

R09.A9: Foreign body sensation, other site

R40.2A: Nontraumatic coma due to underlying condition

R92.30: Dense breast, unspecified

R92.311: Mammographic fatty tissue density, right breast

R92.312: Mammographic fatty tissue density, left breast

R92.313: Mammographic fatty tissue density, bilateral breasts

R92.321: Mammographic fibroglandular density, right breast

R92.322: Mammographic fibroglandular density, left breast

R92.323: Mammographic fibroglandular density, bilateral breasts



New Codes:

R92.331: Mammographic heterogeneous density, right breast

R92.332: Mammographic heterogeneous density, left breast

R92.333: Mammographic heterogeneous density, bilateral breasts

R92.341: Mammographic extreme density, right breast

R92.342: Mammographic extreme density, left breast

R92.343: Mammographic extreme density, bilateral breasts

Excludes 1 revisions:

R00.0: inappropriate sinus tachycardia, so stated (I47.11)

R34: anuria and oliguria complicating the puerperium (O90.4) (O90.49)

R41: mild cognitive impairment so stated of uncertain or unknown etiology (G31.84)

R53.82: other post infection and related fatigue syndromes (G93.39)

R64: cachexia due to underlying condition (E88.A)

R73.0: dysmetabolic syndrome X (88.81-)

R78: mental or behavioral disorders due to psychoactive substance use (F10-F19)

Excludes 2 revisions:

R78: mental or behavioral disorders due to psychoactive substance use (F10-F19)

Code First revisions:

R40.2A: code first underlying condition

R47.82: code first Parkinson's disease (G20) (G20.-)

R64: code first underlying condition, if known

Code Also revisions:

R92.3: code also, if applicable, inconclusive mammogram (R92.2)



Chapter 19: Injury, Poisoning and Certain Other Consequences of External Causes (S00-T88)

• New codes: (4)

T56.821: Toxic effect of gadolinium, accidental (unintentional)

Toxic effect of gadolinium NOS

T56.822: Toxic effect of gadolinium, intentional self-harm

T56.823: Toxic effect of gadolinium, assault

T56.824: Toxic effect of gadolinium, undetermined

Excludes 1 revisions:

S06.3: any condition classifiable to S06.4-S06.6

T56.82-: adverse effect of diagnostic agents (T50.8X5-)

T81.1: septic shock (R65.21)

• Excludes 2 revisions:

S06.3: any condition classifiable to S06.4-S06.6

S42: periprosthetic fracture around internal prosthetic shoulder joint (M97.3)

\$52: periprosthetic fracture around internal prosthetic elbow joint (M97.4)

Chapter 19: Injury, Poisoning and Certain Other Consequences of External Causes (S00-T88)

Excludes 2 revisions:

\$72.0: physeal fracture of lower end of femur (\$79.1-)

S82: periprosthetic fracture around internal prosthetic ankle joint (M97.2)

T81: poisoning and toxic effects of drugs and chemical (T36-T65 with fifth or sixth character 1-4 or 6)

T88: poisoning and toxic effects of drugs and chemical (T36-T65 with fifth or sixth character 1-4 or 6)

Use Additional revisions:

T15-T19: Use additional code, if known, for foreign body entering into or through a natural orifice (W44.-)

T75.3: Use additional external cause code to identify vehicle or type of motion (Y92.81-, Y93.5-)

T81.83: Use additional code, if known, for site of fistula such as: anal fistula (K60.3), anorectal fistula (K60.5), bladder fistula (N32.2), other female intestinal-genital tract fistulae (N82.4)

Chapter 19: Injury, Poisoning and Certain Other Consequences of External Causes (S00-T88)

Code First revisions:

S22: injury of intrathoracic organ (S27.-), spinal cord injury (S24.0-, S24.1-)

Code also revisions:

S22: injury of intrathoracic organ (S27.-), spinal cord injury (S24.0-, S24.1-)

Chapter 20: External Causes of Morbidity (V00-Y99)

- New codes: (41)
 - W44.A0X: Battery unspecified, entering into or through a natural orifice
 - W44.A1X: Button battery entering into or through a natural orifice
 - **W44.A9X:** Other Batteries entering into or through a natural orifice *Cylindrical battery*
 - W44.B0X: Plastic object unspecified, entering into or through a natural orifice
 - W44.B1X: Plastic bead entering into or through a natural orifice
 - W44.B2X: Plastic coin entering into or through a natural orifice
 - W44.B3X: Plastic toy and toy part entering into or through a natural orifice
 - W44.B4X: Plastic jewelry entering into or through a natural orifice
 - W44.B5X: Plastic bottle entering into or through a natural orifice
 - W44.B9X: Other plastic object entering into or through a natural orifice
 - W44.C0X: Glass unspecified, entering into or through a natural orifice
 - **W44.C1X:** Sharp glass entering into or through a natural orifice Glass shard entering into or through a natural orifice



• New codes: (41)

W44.C2X: Intact glass entering into or through a natural orifice

Intact glass bottle entering into or through a natural orifice

W44.D0X: Magnetic metal object unspecified, entering into or through a natural orifice

W44.D1X: Magnetic metal bead entering into or through a natural orifice

W44.D2X: Magnetic metal coin entering into or through a natural orifice

W44.D3X: Magnetic metal toy entering into or through a natural orifice

W44.D4X: Magnetic metal jewelry entering into or through a natural orifice

W44.D9X: Other magnetic metal objects entering into or through a natural orifice

W44.E0X: Non-magnetic metal object unspecified, entering into or through a natural

orifice

W44.E1X: Non-magnetic metal bead entering into or through a natural orifice

W44.E2X: Non-magnetic metal coin entering into or through a natural orifice

• New codes: (41)

W44.E3X: Non-magnetic metal toy entering into or through a natural orifice

W44.E4X: Non-magnetic metal jewelry entering into or through a natural orifice

W44.E9X: Other non-magnetic metal objects entering into or through a natural orifice

Bottle cap entering into or through a natural orifice Can lid entering into or through a natural orifice

Pull tab entering into or through a natural orifice

W44.F0X: Objects of natural or organic material unspecified, entering into or through

a natural orifice

W44.F1X: Bezoar entering into or through a natural orifice

W44.F2X: Rubber band entering into or through a natural orifice

W44.F3X: Food entering into or through a natural orifice

W44.F4X: Insect entering into or through a natural orifice

W44.F9X: Other object of natural or organic material, entering into or through a

natural orifice



• New codes: (41)

W44.G0X: Other non-organic objects unspecified, entering into or through a natural

orifice

W44.G1X: Audio device entering into or through a natural orifice

Ear buds Hearing aids

W44.G2X: Combination metal and plastic toy and toy part entering into or through

natural orifice

W44.G3X: Combination metal and plastic jewelry entering into or through a natural

orifice

W44.G9X: Other non-organic objects entering into or through a natural orifice

W44.H0X: Other sharp object unspecified, entering into or through a natural orifice

W44.H1X: Needle entering into or through a natural orifice

Dart entering into or through a natural orifice
Hypodermic needle entering into or through a natural orifice
Safety pin entering into or through a natural orifice
Sewing needle entering into or through a natural orifice



• New codes: (41)

W44.H2X: Knife, sword or dagger entering into or through a natural orifice

W44.8XX: Other foreign body entering into or through a natural orifice

W44.9XX: Unspecified foreign body entering into or through a natural orifice

Foreign body NOS entering into or through a natural orifice

Excludes 1 revisions:

V92.07: hit by boat while water-skiing NOS (V94.X) (V94.-)

W62: contact with venomous amphibians (T63.81-R63.83 T63.83)

• Excludes 2 revisions:

W44: contact with other sharp object (W26), contact with sharp glass (W25), foreign body or object entering through skin (W45)

W44.B1X: Plastic jewelry entering into or through a natural orifice

W44.B4X: Plastic bead entering into or through a natural orifice



c. Categories of Z Codes

8) Follow-up

The follow-up Z codes/categories:

Z08 Encounter for follow-up examination after completed treatment for malignant neoplasm

Z09 Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm

Codes Z08, Encounter for follow-up examination after completed treatment for malignant neoplasm, and Z09, Encounter for follow up examination after completed treatment for conditions other than malignant neoplasm, may be assigned following any type of completed treatment modality (including both medical and surgical treatments).

Z39 Encounter for maternal postpartum care and examination



• New Codes: (30)

Z02.84: Encounter for child welfare exam

Z05.81: Observation and evaluation of newborn for suspected condition related to home physiologic monitoring device ruled out

Encounter for observation of newborn for apnea alarm without findings

Encounter for observation of newborn for bradycardia alarm without findings

Encounter for observation of newborn for malfunction of home cardiorespiratory monitor

Encounter for observation of newborn for non-specific findings home physiologic monitoring device

Encounter for observation of newborn for pulse oximeter alarm without findings

Z05.89: Observation and evaluation of newborn for other specified suspected condition ruled out

Z16.13: Resistance to carbapenem

Z22.340: Carrier of carbapenem-resistant Acinetobacter baumannii

Z22.341: Carrier of carbapenem-sensitive Acinetobacter baumannii

Z22.349: Carrier of Acinetobacter baumannii, unspecified



• New Codes: (30)

Z22.350: Carrier or carbapenem-resistant enterobacterales

Z22.358: Carrier of other Enterobacterales

Carrier of carbapenem-sensitive Enterobacterales

Carrier of ESBL-producing Enterobacterales

Carrier of extended-spectrum beta-lactamase producing Enterobacterales

Z22.359: Carrier of enterobacterales, unspecified

Z29.81: Encounter for HIV pre-exposure prophylaxis

Z29.89: Encounter for other specified prophylactic measures

Z62.23: Child in custody of non-parental relative

Z62.24: Child in custody of non-relative guardian

Z62.823: Parent-step child conflict

Z62.831: Non-parental relative-child conflict

Z62.832: Non-relative guardian-child conflict

Z62.833: Group home staff-child conflict



• New Codes: (30)

Z62.892: Runaway [from current living environment]

Z83.710: Family history of adenomatous and serrated polyps

Conditions classifiable to D12.-

Family history of tubular adenoma polyps

Family history of tubulovillous adenoma polyps

Family history of villous adenoma polyps

Z83.711: Family history of hyperplastic colon polyps

Z83.718: Other family history of colon polyps

Z83.719: Family history of colon polyps, unspecified

Z91.A41: Caregiver's other noncompliance with patient's medication regimen due to financial hardship

Z91.A48: Caregiver's other noncompliance with patient's medication regimen for other reason

Z91.A51: Caregiver's noncompliance with patient's renal dialysis due to financial hardship



• New Codes: (30)

Z91.A58: Caregiver's noncompliance with patient's renal dialysis for other reason

Z91.A91: Caregiver's noncompliance with patient's other medical treatment and regimen due to financial hardship

Z91.A98: Caregiver's noncompliance with patient's other medical treatment and regimen for other reason

Z91.85: Personal history of military service

• Excludes 1 revisions:

Z05.81: encounter for observation for suspected conditions related to home physiologic monitoring device ruled out (Z03.83), neonatal bradycardia (P29.12), other newborn apnea (P28.4-), primary sleep apnea of newborn (P28.3)

Z59.3: institutional upbringing (Z62.2) (Z62.22)

Z62.831, Z62.832: group home staff-child conflict (Z62.833)



• Excludes 2 revisions:

Z02.84: encounter for examination and observation for alleged child physical abuse (Z04.72), encounter for examination and observation for alleged child rape (Z04.42)

Z62.21: problem for parent due to child in welfare custody (Z63.5)

Z91.82: person history of military service (Z91.85)

Z91.85: personal history of military deployment (Z91.82), personal history of serving in the armed forces, personal history of veteran

Code Also revisions:

Z29.81: Code also, if applicable, risk factors for HIV, such as: contact with and (suspected) exposure to human immunodeficiency virus [HIV] (Z20.6), high risk sexual behavior (Z72.5-)

Z62.22, Z62.23, Z62.24: Code also, if applicable, child in welfare custody (Z62.21) **Z62.8:** Code also, if applicable: absence of family member (Z63.3-), disappearance and death of family member (Z63.4), disruption of family by separation and divorce (Z63.5), other specified problems related to primary support group (Z63.8), other stressful life events affecting family and household (Z63.7-)

Chapter 22: Codes for Special Purposes (U00-U85)

- New Codes: (0)
- Excludes 2 revisions:

U07.1: coronavirus infection, unspecified (B34.2)

Use Additional revisions:

U07.1: Use additional code, if applicable, for associated conditions such as: COVID-19 associated coagulopathy (D68.8), disseminated intravascular coagulation (D65), hypercoagulable states (D68.69), thrombophilia (D68.69)





Tuesday November 21, 2023 at 1 p.m. EST Register

Questions?

ALPHA

800-825-7421 | www.alphaii.com | communications@alphaii.com







